Patent/Publication

Number

373372

Title Wireless 3C box

Issued/Publication

Date

1999/11/01

Application Date 1996/12/31

Application Number 085116311

Certification

Number

108869

IPC H04L-012/00;G06F-019/00

Inventor

LIN, HENG-DAO TW; LIN, SHI-FENG TW

Applicant

Abstract

LIN, HENG-DAOTW;

LIN, SHI-FENGTW

functions of computer, communication equipment and home appliances by means of powerful wireless technology, thereby combining all the functions in one box and eliminating duplicating investments with single-purpose devices. It also meets the requirements for small form factor, low price, safety, health and easy of use, as well as multifunctional for telecommunication, computer, office, leisure or home appliances. This virtual 3C machine fully meets the versatile needs of present day users with its low price, safety features, convenience, EPA, multimedia and telecommunication functions, suitable for individuals, network users, multimedia

This invention is related to a 3C box integrating communication and control

players, and SOHO applications.

中華民國專利公報(19)(12)

(11)公告網號:373372

子44)中華民國88年(1999)11月01日

發明

全 5 頁

(51) Int · C 1 6: H04L12/00 G06F19/00

・(54)名 稿:無線3C整合器

(21)申請案號:85116311

(22)申請目期:中華民國85年(1996)12月31日

〔72〕發 明 人:

林恆道 林士峰 台北市北投區懷德街一〇五巷九號四樓 台北市北投區懷德街一〇五巷九號四樓

(71)申 請 人:

林恆道 林七峰 台北市北投區懷德街一〇五巷九號四樓 台北市北投區懷德街一〇五巷九號四樓

(74)代 理 人:江舟峰 先生

[57]申請專利範圍:

1.一種無線 3C 整合器,其系統架構包括:

1

一3C 園區,其係為一將實際上分散各地、個別獨立、繁雜、笨重,重複及不易攜帶之眾多3C 設備簡化,刪除不必要之重複設備,而分割成多個簡單之功能模組,並利用無線科技之通訊與控制功能將所有模組重新整合使其緊密地結合在一起之虛擬單體,園區內各個模組皆可透過無線內接控制通訊系統相互交換有無,相互支援;

一遙控器,其係由簡易電腦及無通信控制設備所構成,其可由內接控制通訊系統透過無線內接控制單元來管理享用上述 3C 園區內部的資源;藉由上述之架構設計,可將兩種以上相關或不相關之電器或 3C 產品利用無線科技之通信與控制功能整合在一起,使其或發揮互補功能,並產生新的用途,簡省不必要之重複設備,而能達到使成本降低、系統

簡化,功能增強及維護使用更方便之目 的。

2 -

- 2.如申請專利範圍第1項所述之無線3C整 合器,其中遙控器之組成包括一簡單鍵 盤、CPU、一小型液晶顯示器、一掃 描器或數位照相機,一內嵌式喇叭與話 機及內接控制通訊單元。
- 3.如申請專利範圍第1項所述之無線3C整 合器,其中,遙控器可以和一3C影音 10. 監視器組成一3C個人工作室,3C影音 監視器係由影音監視器、軟硬碟等記憶 設備及無線通信單元所構成,藉由3C 影音監視器可簡化承擔遙控器之部份工 作,以達成主要之顯示與記憶功能,並 護對身體有害之幅射與使用者保持一適 當距離。
 - 4.如申請專利範圍第1項所述之無線3C整 合器,其中,所有3C產品皆可以視需 要而使部分零組件分開而不在一起,而 3C產品組成之各模組方可以放在一起

20.

5.

5.

3

或分開置放,以作最佳之配置,而利用 無線科技之通信與控制功能可使其發揮 整體之功能,使實體上分開之設備及零 組件在功緊密結合在一起。


圖式簡單說明:


第一圖未來人類需要之通訊設備 第二圖本發明 3C 整合器示意圖 第三圖本發明 3C 整合器之無線內接 4


控制單元(IECU)之簡單功能方塊圖 第四圖本發明3C整合器之功能方塊


圖


第五圖 3C 個人工作室示意圖 第六圖 3C 整合器之遙管功能 第七圖利用本發明 3C 整合器將個人 電腦拆散重新整合之方塊圖 第八圖通訊園區











第七圖